CLAIMS

What is claimed is:

- A method for generating a character in a computer system comprising:
 constructing a skeleton of a predetermined object; and
- superimposing the skeleton with a digital image wherein the digital image includes the predetermined object.
 - 2. The method of claim 1, wherein the skeleton is constructed of at least one predetermined component

10

- 3. The method of claim 2, wherein the predetermined component is a rod.
- 4. The method of claim 2, wherein the predetermined component is a joint.
- 15 5. The method of claim 1, further comprising a step of laminating a texture map to the skeleton.
 - 6. The method of claim 1, further comprising a step of adjusting a skeleton parameter to correspond with the desired object.

20

7. The method of claim 6, wherein the step of adjusting includes adjusting the skeleton parameter to approximate a parameter of the desired object.

Attorney Docket No. ELECP006A

20

- 8. The method of claim 1, further comprising a step of preparing the digital image.
- 9. The method of claim 7, wherein the step of preparing the digital image5 includes background subtraction.
 - 10. The method of claim 1, further comprising a step of determining a topology of the skeleton.
- 10 11. The method of claim 1, further comprising a step of determining where a motion will occur.
 - 12. The method of claim 1, wherein the personalized character can be animated.
- 13. A method for animating an object in a computer system comprising:

 transmitting data related to a generation of the object, wherein the data related to the generation of the object is no longer transmitted once the object is generated; and

transmitting data related to an animation of the object.

14. The method of claim 13, wherein the steps of transmitting occur via a network.

15

- 15. The method of claim 13, wherein the steps of transmitting occur via an Internet.
- 16. A system for generating a character in a computer system comprising:
 means for constructing a skeleton of a predetermined object; and
 means for superimposing the skeleton with a digital image wherein the digital
 image includes the predetermined object.
- 17. The system of claim 16, wherein the skeleton is constructed of at least one predetermined component
 - 18. The system of claim 17, wherein the predetermined component is a rod.
 - 19. The system of claim 17, wherein the predetermined component is a joint.
 - 20. The system of claim 16, further comprising a means for laminating a texture map to the skeleton.
- 21. The system of claim 16, further comprising a means for adjusting a skeleton parameter to correspond with the desired object.
 - 22. The system of claim 16, wherein the personalized character can be animated.
 - 23. A system for animating an object in a computer system comprising:

 Attorney Docket No. ELECP006A

 PATENT

 23

means for transmitting data related to a generation of the object, wherein the data related to the generation of the object is no longer transmitted once the object is generated; and

means for transmitting data related to an animation of the object.

- 5 24. The system of claim 23, wherein transmitting the data occurs via a network.
 - 25. The system of claim 23, wherein transmitting the data occurs via an Internet.
- 26. A method for compressing video data comprising:

 developing an initial representation from an initial image of a known object;

 comparing a current image of said known object with said initial

 representation; and

developing a description of a position change of said known object between said current image and said initial representation.

- 27. A method as recited in claim 26 wherein said initial representation is a skeleton representation.
- 15 28. A method as recited in claim 27 wherein said description includes a description at least one of a rod and a joint position.
 - 29. A method as recited in claim 27 wherein said at least one of a rod and a joint position is a relative position.
- 30. A method as recited in claim 27 wherein said at least one of a rod and a joint20 position is an absolute position.
 - 31. A method as recited in claim 26 wherein said description is transmitted over a network.